

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	"20020138600"	US-PGPUB	OR	ON	2004/07/20 15:59
S2	533	Singhal.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/20 15:59
S3	2	Singhal.inv. and (network adj install)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/20 16:40
S4	1506	(709/223).CCLS.	USPAT; USOCR	OR	OFF	2004/07/21 18:06
S5	920	((709/223).CCLS.) and configur\$3	USPAT	OR	ON	2005/04/07 18:36
S6	909	((709/223).CCLS.) and configur\$3 and network\$3	USPAT	OR	ON	2004/07/20 16:41
S7	816	((709/223).CCLS.) and configur\$3 and network\$3 and device	USPAT	OR	ON	2004/07/21 09:30
S8	761	(709/220).CCLS.	USPAT; USOCR	OR	OFF	2004/07/20 17:08
S9	425	((709/220).CCLS.) and (configur\$5 same device)	USPAT	OR	ON	2004/07/20 17:09
S10	13	("5150464" "5321840" "5446897" "5572528" "5673322" "5694546" "5708780" "5724510" "5734831" "5745699" "5784555" "5826000" "5852722").PN.	USPAT	OR	ON	2004/07/20 17:13
S11	106	"6012088".URPN.	USPAT	OR	ON	2004/07/20 17:24
S12	3	"6105100".URPN.	USPAT	OR	ON	2004/07/20 17:32
S13	4	"6487608".URPN.	USPAT	OR	ON	2004/07/20 17:33
S14	6	("6249863" "6424424" "6434403" "6487608" "6567860" "6606669").PN.	USPAT	OR	ON	2004/07/20 17:34
S15	2	((709/220).CCLS.) and (configur\$5 near2 host near2 application)	USPAT	OR	ON	2004/07/20 17:46
S16	346	(709/222).CCLS.	USPAT; USOCR	OR	OFF	2004/07/20 18:16
S17	4	("5469573" "5996086" "6101601" "6353885").PN.	USPAT	OR	ON	2004/07/20 18:02
S18	0	"6654797".URPN.	USPAT	OR	ON	2004/07/20 18:04
S19	88	((709/222).CCLS.) and configur\$5 and floppy	USPAT	OR	ON	2004/07/20 18:17
S20	87	((709/222).CCLS.) and configur\$5 and floppy and device	USPAT	OR	ON	2004/07/20 18:17
S21	75	((709/222).CCLS.) and configur\$5 and (floppy adj disk) and device	USPAT	OR	ON	2004/07/20 18:17
S22	3	(("5,864,764") or ("6,199,045") or ("6,286,038")).PN.	USPAT; USOCR	OR	OFF	2004/07/21 10:02
S23	3	"9943174"	USPAT; EPO; DERWENT	OR	ON	2004/07/21 17:18
S24	602	computer adj (ghost\$5 or imag\$5 or duplicat\$3) and (floppy adj disk)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 17:30
S25	587	computer adj (ghost\$5 or imag\$5) and (floppy adj disk)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 10:06
S26	1	(computer adj ghost\$5) and (floppy adj disk)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 10:08

S27	5	computer adj ghost\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 10:08
S28	61	ghost\$3 near2 image same computer	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 10:18
S29	9	("5469573" "5652868" "5659614" "5771354" "5852713" "5935212" "6292790" "6317845" "6367029").PN.	USPAT	OR	ON	2004/07/21 18:03
S30	171	norton.as. and image	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 10:19
S31	11	norton.as. and image and configur\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 10:19
S32	4	("5469573" "5996086" "6101601" "6353885").PN.	USPAT	OR	ON	2004/07/21 10:23
S33	78	"5469573".URPN.	USPAT	OR	ON	2004/07/21 11:01
S34	5	"6016400".URPN.	USPAT	OR	ON	2004/07/21 11:54
S35	0	"6681323".URPN.	USPAT	OR	ON	2004/07/21 11:55
S36	391	remote adj configurat\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 12:21
S37	401	remote adj configur\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 12:42
S38	139	(remote adj configur\$5) and host and application	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 12:57
S39	120	(remote adj configur\$5) and host and application and address and device	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 12:43
S40	88	(remote adj configur\$5) and (host same application) and address and device	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 12:43
S41	68	(remote adj configur\$5) and (host same application) and address and device and (network near2 configur\$5)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 12:49
S42	15	(remote adj configur\$5) and (host same application) and address and device and (network near2 configur\$5) and (stor\$5 adj device)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 12:52
S43	53	((remote adj configur\$5) and (host same application) and address and device and (network near2 configur\$5)) not ((remote adj configur\$5) and (host same application) and address and device and (network near2 configur\$5) and (stor\$5 adj device))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 12:53
S44	53	(remote adj configur\$5) and (host near2 application)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 12:58

S45	12	(remote adj configur\$5) and (host near2 application) and (host near2 address)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 12:59
S46	38	(remote adj configur\$5) and (host near2 application) and (client adj application)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 13:00
S47	208	(preconfigur\$3 or pre-configur\$5) and (network adj configuration)	USPAT	OR	ON	2005/04/08 11:50
S48	129	(preconfigur\$3 or pre-configur\$5) and (network adj configuration) and install\$5	USPAT	OR	ON	2004/07/21 13:05
S49	35	(preconfigur\$3 or pre-configur\$5) and (network adj configuration) and install\$5 and (host adj address)	USPAT	OR	ON	2004/07/21 13:07
S50	16	network adj (preconfigur\$3 or pre-configur\$5)	USPAT	OR	ON	2005/04/08 11:12
S51	499	remot\$3 adj configur\$5	USPAT	OR	ON	2004/07/21 13:18
S52	9	remot\$3 adj configur\$5 and (first adj device)	USPAT	OR	ON	2004/07/21 13:19
S53	1	("6345294").PN.	USPAT; USOCR	OR	OFF	2004/07/21 14:38
S54	1	("5469573").PN.	USPAT; USOCR	OR	OFF	2004/07/21 17:18
S55	27	"0065513"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 17:31
S56	509	(709/221).CCLS.	USPAT; USOCR	OR	OFF	2005/04/08 17:41
S96	615	((709/223).CCLS.) and configur\$3 and (clon\$3 or cop\$3 or duplicat\$3)	USPAT	OR	ON	2005/04/07 18:38
S97	288	((709/223).CCLS.) and configur\$3 and (clon\$3 or cop\$3 or duplicat\$3) and default	USPAT	OR	ON	2005/04/07 18:38
S98	6	(user or subscriber) near (clon\$3 or cop\$3) near default	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 11:13
S99	1647	(clon\$3 or cop\$3) near configur\$5	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 11:14
S10 0	623	(clon\$3 or cop\$3) adj configur\$5	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 11:14
S10 1	7	(clon\$3 or cop\$3) adj configur\$5 same default	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 11:16
S10 2	106	(creat\$3 or generat\$3 or produc\$3 or develop\$3) adj configur\$5 same default	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 11:16
S10 3	3	(creat\$3 or generat\$3 or produc\$3 or develop\$3) adj configur\$5 near default	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 11:17

S10 4	16	(clon\$3) adj configur\$5	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 11:33
S10 5	3	("5758165" "5828834" "6108697").PN. OR ("6535977"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/08 11:31
S10 6	0	(clon\$3) near (default adj value)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 11:35
S10 7	25	(clon\$3) same (default adj value)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 11:33
S10 8	17	S107 and configurat\$3	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 11:35
S10 9	33	(imag\$3 or ghost\$3) near (default adj value)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 11:35
S11 0	10	S109 and configurat\$3	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 11:37
S11 1	31199	respons\$5 near (user or subscriber or customer)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 11:37
S11 2	0	S111 same (clon\$3 or duplicat\$3 or copy\$3) near configurat\$3	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 11:38
S11 4	249	S111 same (clon\$3 or duplicat\$3 or copy\$3) and configurat\$3	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 11:38
S11 5	18	S111 same (clon\$3 or duplicat\$3 or copy\$3) same configurat\$3	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 11:38
S11 6	9	(preconfigur\$3 or pre-configur\$5) and (network adj configuration) and clon\$3	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:19
S11 7	90	(prompt\$3 or ask\$3 or respons\$5) near (user or subscriber or customer) near configurat\$3	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:24

S11 8	12	(prompt\$3 or ask\$3 or respons\$5) near (user or subscriber or customer) near configurat\$3 near parameter	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:33
S11 9	0	(prompt\$3 or ask\$3 or respons\$5) near (user or subscriber or customer) near configurat\$3 same clon\$3	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:35
S12 0	1	(prompt\$3 or ask\$3 or respons\$5) near (user or subscriber or customer) near configurat\$3 and clon\$3	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:36
S12 1	47	(prompt\$3 or ask\$3 or respons\$5) near (user or subscriber or customer) near configurat\$3 and install\$5	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:36
S12 2	37	(prompt\$3 or ask\$3 or respons\$5) near (user or subscriber or customer) near configurat\$3 and install\$5 and (default)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:43
S12 3	6033	software near install\$7	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:56
S12 4	20	clon\$3 near configurat\$5	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:48
S12 5	1	S123 and S124	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:43
S12 6	33746	(respons\$5 or prompt) near user	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:48
S12 7	197	(respons\$5 or prompt) near user same (default adj (value or parameter))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:48
S12 8	0	(respons\$5 or prompt) near user same ((generat\$3 or creat\$3) near (default adj (value or parameter)))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:49
S12 9	40	(respons\$5 or prompt) near user and ((generat\$3 or creat\$3) near (default adj (value or parameter)))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:49
S13 0	1890010	install\$7	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:56

S13 1	148	install\$7 same clon\$3 same configurat\$3	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:57
S13 2	4	S126 and S131	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 14:05
S13 3	1	("5940395").PN.	USPAT	OR	OFF	2005/04/08 16:01
S13 4	5	((("5819042") or ("6539438") or ("5835759") or ("5771381") or ("5713009")).PN.	USPAT	OR	OFF	2005/04/08 16:02
S13 5	2248	(709/221,223).CCLS.	USPAT; USOCR	OR	OFF	2005/04/08 17:41
S13 6	1387	S135 and (prompt\$3 or respons\$5) and configurat\$3	USPAT	OR	OFF	2005/04/08 17:42
S13 7	510	S135 and (prompt\$3 or respons\$5) same configurat\$3	USPAT	OR	OFF	2005/04/08 17:42
S13 8	237	S135 and (prompt\$3 or respons\$5) same configurat\$3 and (copy\$3 or clon\$3 or duplicat\$3)	USPAT	OR	OFF	2005/04/08 17:42